



SECONDARY ELEVATION AT 1

Secondary Part Schedule

Mark	Part	Thick.	Depth	Lap	Detail
	08C2605011CC20	0.1130	8 1/2"		WSR004, WSR001
	08C2605411CC20	0.1130	8 1/2"		WSR004, WSR001
G52	002102S230771610	0.0680	10"		WSR001, WS01H2, WSR004
G53 (Nest)	003102S280101510	0.0730	10"		WSR001, WSR004, WS01H2
G54	004102S280101210	0.0980	10"		WSR001, WSR004, WS01H2
G6	1021004417EL10	0.0600	10"		WSR004, WSR001, WS01H2, WS20F2
G7	001102S060271700	0.0600	10"		WSR001, WS20F2, WSR004
G9	1022909413EE10	0.0880	10"		WS01H2
H8	00111JS0600016	0.0680	11 1/2"		WS20F9
J7	00110JS0702217	0.0600	10"		WS20F2, WS20B8
J8	00211JS1202216	0.0680	11 1/2"		WS20F9, WS20F2, WS20B2, WS20B8

Note:  
 Erector to field work (i) 10"-depth framing channel at door jamb strike plate side for door frame reinforcement (Typ. each walk door) walk doors and walk door framing are not by Butler Manufacturing.

Bracing Part Schedule

Part	Qty	Length	Detail
03RT3108	1	31'-8"	BR01G2, BR02K1
03RT3105	1	31'-5"	BR01G2, BR02K1
	4	GFA206	
3	3'-4"	GFA200	
2	2'-0"	GF1	
1	2'-3"	JG2	

Dimension Key Part Mark Key



06/09/2020

PERMIT SET- For Building Dept. Approval

Shape Name = Varnell, GA (VNL), Wall = 1

1. UNLESS NOTED, USE 1/2 X 1 1/2 A325T BOLT (49090) AND NUT (47120) W/O WASHERS. SNUG TIGHTEN BOLTS FOR ALL SECONDARY CONNECTIONS. 2. FLANGE BRACES ARE AN INTEGRAL PART OF THE STABILITY OF THE STRUCTURAL SYSTEM AND MUST BE PROPERLY INSTALLED PRIOR TO ERECTION OF WALL AND ROOF SHEETS. 3. REMOVAL OR ALTERATION OF ANY COMPONENT IS PROHIBITED.	THE BUTLER MFG. ENGINEER'S SEAL APPLIES ONLY TO THE WORK PRODUCT OF BUTLER MFG. AND DESIGN AND PERFORMANCE REQUIREMENTS SPECIFIED BY BUTLER. THE BUTLER MFG. ENGINEER'S SEAL DOES NOT APPLY TO THE PERFORMANCE OR DESIGN OF ANY OTHER PRODUCT OR COMPONENT FURNISHED BY BUTLER EXCEPT TO ANY DESIGN OR PERFORMANCE REQUIREMENTS SPECIFIED BY BUTLER.	THIS DRAWING, INCLUDING THE INFORMATION HEREON, REMAINS THE PROPERTY OF BUTLER MFG. IT IS PROVIDED SOLELY FOR ERECTING THE BUILDING DESCRIBED IN THE APPLICABLE PURCHASE ORDER AND MAY BE REPRODUCED ONLY FOR THAT PURPOSE. IT SHALL NOT BE MODIFIED, REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF BUTLER MFG.	THE GENERAL CONTRACTOR AND/OR ERECTOR IS SOLELY RESPONSIBLE FOR ACCURATE GOOD QUALITY WORKMANSHIP IN ERECTING THIS BUILDING IN ACCORDANCE WITH THIS DRAWING. DETAILS REFERENCED IN THIS DRAWING, ALL APPLICABLE BUTLER MFG. ERECTION GUIDES, AND INDUSTRY STANDARDS PERTAINING TO PROPER ERECTION, INCLUDING THE CORRECT USE OF TEMPORARY BRACING.	<b>B</b> BUTLER MANUFACTURING 1540 GENESSEE ST. KANSAS CITY, MO 64102	<b>SECONDARY ELEVATION AT 1</b>
				REV. DATE BY DESCRIPTION	BUILDER O'Reilly Automotive Stores, Inc. CUSTOMER O'Reilly Automotive Stores, Inc. LOCATION Varnell, Georgia PROJECT Varnell, GA (VNL) BUILDERS POW VNL