



SECONDARY ELEVATION AT D

Secondary Part Schedule

Mark	Part	Thick.	Depth	Lap	Detail
G17	08Z1508417BG00	0.0600	8 1/2"		WSR004, WSR001, WS20F2
G18	11C2808413GL00	0.0880	11 1/2"		WSR004, WSR001
G24	08C2411417BD00	0.0600	8 1/2"		WSR004, WSR001, WS01G2
G61	08C2911416BD00	0.0680	8 1/2"		WSR004, WSR001, WS01G2
G62	08C2911417DD00	0.0600	8 1/2"		WS01G2
G63	00108ZS300041600	0.0680	8 1/2"		WSR004, WSR001, WS20F2
G64	11C2308415GL00	0.0730	11 1/2"		WSR004, WSR001
G67	11C2811413LL00	0.0880	11 1/2"		WSR004, WSR001
J2	00108JS0702217	0.0600	8 1/2"		WS20B8, WS20B1
J9	00208JS1105617	0.0600	8 1/2"		WS20F2, WS20B8

Bracing Part Schedule

Part	Qty	Length	Detail
05RS2903	2	29'-3"	BR01G2

6	1'-4"		
4	10"	4	GFA200
3	4'-2 1/4"	3	GFA106
2	4'-0"	2	GF1
1	6"	1	JG1

Dimension Key

Part Mark Key

Shape Name = Varnell, GA (VNL), Wall = 4

PERMIT SET- For Building Dept. Approval



06/09/2020

1. UNLESS NOTED, USE 1/2 X 1 1/2 A325T BOLT (49090) AND NUT (47120) W/O WASHERS. SNUG TIGHTEN BOLTS FOR ALL SECONDARY CONNECTIONS.
 2. FLANGE BRACES ARE AN INTEGRAL PART OF THE STABILITY OF THE STRUCTURAL SYSTEM AND MUST BE PROPERLY INSTALLED PRIOR TO ERECTION OF WALL AND ROOF SHEETS.
 3. REMOVAL OR ALTERATION OF ANY COMPONENT IS PROHIBITED.

THE BUTLER MFG. ENGINEER'S SEAL APPLIES ONLY TO THE WORK PRODUCT OF BUTLER MFG. AND DESIGN AND PERFORMANCE REQUIREMENTS SPECIFIED BY BUTLER. THE BUTLER MFG. ENGINEER'S SEAL DOES NOT APPLY TO THE PERFORMANCE OR DESIGN OF ANY OTHER PRODUCT OR COMPONENT FURNISHED BY BUTLER EXCEPT TO ANY DESIGN OR PERFORMANCE REQUIREMENTS SPECIFIED BY BUTLER.

THIS DRAWING, INCLUDING THE INFORMATION HEREON, REMAINS THE PROPERTY OF BUTLER MFG. IT IS PROVIDED SOLELY FOR ERECTING THE BUILDING DESCRIBED IN THE APPLICABLE PURCHASE ORDER AND MAY BE REPRODUCED ONLY FOR THAT PURPOSE. IT SHALL NOT BE MODIFIED, REPRODUCED OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN APPROVAL OF BUTLER MFG.
 THE GENERAL CONTRACTOR AND/OR ERECTOR IS SOLELY RESPONSIBLE FOR ACCURATE GOOD QUALITY WORKMANSHIP IN ERECTING THIS BUILDING IN ACCORDANCE WITH THIS DRAWING, DETAILS REFERENCED IN THIS DRAWING, ALL APPLICABLE BUTLER MFG. ERECTION GUIDES, AND INDUSTRY STANDARDS PERTAINING TO PROPER ERECTION, INCLUDING THE CORRECT USE OF TEMPORARY BRACING.

REV	DATE	BY	DESCRIPTION
B			BUTLER MANUFACTURING 1540 GENESSEE ST. KANSAS CITY, MO 64102

SECONDARY ELEVATION AT D	
BUILDER	O'Reilly Automotive Stores, Inc.
CUSTOMER	O'Reilly Automotive Stores, Inc.
LOCATION	Varnell, Georgia
PROJECT	Varnell, GA (VNL)
BUILDERS PCW	VNL



JOB #	20-010380-01
DATE	06/05/2020
DRAWN/CHECKED	JJL / SW
PAGE	18