

Table with 10 columns: No., Description, Date, Status, and other columns. Rows include items like '1. The applicable Erosion, Sedimentation and Pollution Control Plan...', '2. Level II Erosion Control...', '3. Limits of disturbance shall be no greater than 50 acres...', etc.

CONSTRUCTION SCHEDULE table with columns for months from 1st to 18th. Rows include: MAINTAIN ALL EROSION CONTROL BMPs, INSTALL PHASE 1 EROSION CONTROL BMPs, INSTALL PHASE 2 EROSION CONTROL BMPs, etc.

EROSION, SEDIMENTATION & POLLUTION CONTROL NOTES (continued)
33. SAMPLING FREQUENCY
STORM WATER SAMPLES SHALL BE TAKEN FOR THE FOLLOWING STATION EVENTS:
(a) FOR EACH AREA OF THE SITE THAT DISCHARGES TO A RECEIVING STREAM...
(b) IN ANY PERMITTED TMA ABOVE FOR EACH AREA AT THE SITE THAT DISCHARGES TO A RECEIVING STREAM...
(c) AT THE TIME OF SAMPLING PERFORMED PURSUANT TO (A) AND (B) ABOVE...
33. SLOPE STABILIZATION
EROSION CONTROL MATTING AND BLANKETS
A protective covering used to prevent erosion and establish temporary or permanent vegetation on steep slopes, shore lines, or channels.
33. RETENTION OF RECORDS
1. The primary permittee shall retain the following records at the construction site or the records shall be readily available at a designated off-site location from commencement of construction until such time as a NOI is submitted in accordance with Part VI.
33. SAMPLING ANALYSIS
STORM WATER SAMPLES ARE TO BE ANALYZED IN ACCORDANCE WITH METHODOLOGY AND TEST PROCEDURES ESTABLISHED BY 40 CFR PART 136 AND GUIDANCE DOCUMENT TITLED "NPDES STORM WATER SAMPLING GUIDANCE DOCUMENT, EPA 833-B-92-001".
33. SAMPLING ANALYSIS - APPENDIX B. RATIONALE
STORM WATER IS TO BE SAMPLED FOR NEPHELOMETRIC TURBIDITY UNITS (NTU) AT THE OUTFALL LOCATION...
33. NPDES NOTES
WASTE MATERIALS: WASTE MATERIALS WILL BE COLLECTED AND STORED IN A DESIGNATED AREA...
33. SPILL PREVENTION PROCEDURES AND PROCEDURES WILL BE REVIEWED AFTER A SPILL AND ADJUSTED AS NECESSARY TO FUTURE SPILLS.
33. BEST MANAGEMENT PRACTICES TO REDUCE DISCHARGES OF SEDIMENTS FROM STORM WATER ARE SHOWN ON ALL APPLICABLE PLAN SHEETS.

Erosion Control Certification:

(1) I CERTIFY THAT THE PERMITEE'S EROSION, SEDIMENTATION AND POLLUTION CONTROL PLAN PROVIDES FOR AN APPROPRIATE AND COMPREHENSIVE SYSTEM OF BEST MANAGEMENT PRACTICES REQUIRED BY THE GEORGIA WATER QUALITY CONTROL ACT AND THE DOCUMENT "MANUAL FOR EROSION AND SEDIMENT CONTROL IN GEORGIA" (MANUAL) PUBLISHED BY THE STATE SOIL AND WATER CONSERVATION COMMISSION AS ONE OF THE MANUALS OF WEAR IN WHICH LAND DISTURBING ACTIVITIES ARE PERMITTED. THE PLAN PROVIDES FOR THE SAMPLING OF RECEIVING WATER(S) OR THE SAMPLING OF STORM WATER AT ALL THE DESIGNATED SYSTEMS OF BEST MANAGEMENT PRACTICES AND SAMPLING METHODS IS EXPECTED TO MEET THE REQUIREMENTS CONTAINED IN THE GENERAL NPDES PERMIT (GA 100001).

(2) I CERTIFY UNDER PENALTY OF LAW THAT THIS PLAN WAS PREPARED AFTER A SITE VISIT TO THE LOCATION DESCRIBED HEREIN BY MYSELF OR MY AUTHORIZED AGENT, UNDER MY DIRECT SUPERVISION.
I CERTIFY THAT THE DESIGN PROFESSIONAL WHO PREPARED THE ES&P PLAN IS TO INSPECT THE INSTALLATION OF THE INITIAL SEDIMENT STORAGE REQUIREMENTS AND PERIMETER CONTROL BMP'S WITHIN SEVEN (7) DAYS AFTER INSTALLATION.
Jeff Collins 12-11-20
JEFF COLLINS, PE CERTIFICATION #13400

SITE AREA: 23.2 ACRES
DISTURBED AREA: 19.1 ACRES
EARTHWORK ESTIMATE:
CUT: 114,769 C.Y.
FILL: 99,766 C.Y.
DIFFERENCE: 15,003 C.Y. CUT *

*EARTHWORK CALCULATIONS ARE BASED ON FINISHED GRADE
EARTHWORK ESTIMATE PROVIDED FOR CONVENIENCE TO CONTRACTOR ONLY. CONTRACTOR IS TO VERIFY QUANTITIES.

PRIMARY PERMITEE: LAKE LANIER ISLANDS CONFERENCE CENTER
24 HOUR CONTACT: BRIAN TODD (770) 945-8787

DESIGN PROFESSIONAL 7-DAY VISIT CERTIFICATION

DATE OF INSPECTION
I CERTIFY THE SITE WAS IN COMPLIANCE WITH THE ES&P PLAN ON THE DATE OF INSPECTION.
OSWCC LEVEL II DESIGN PROFESSIONAL CERTIFICATION #
INSPECTION REVEALED THE FOLLOWING DISCREPANCIES FROM THE ES&P PLAN.
THE DEFICIENCIES MUST BE ADDRESSED AND AN RE-INSPECTION SCHEDULED. WORK SHALL NOT PROCEED ON THE SITE UNTIL DESIGN PROFESSIONAL CERTIFICATION IS OBTAINED.

TREATMENT SPECIFICATIONS

Table with columns: HYDRAULIC SEEDING EQUIPMENT, FERTILIZER, SEED SPECIES, APPLICATION RATE/ACRE, PLANTING DATES. Rows include: SERICEA LESPEDEZA, COMMON BERMUDA, FESCUE, etc.



FOR: LANIER ISLANDS CONFERENCE CENTER
LAND LOT 380
7TH DISTRICT
CITY OF BUFORD, G.A. COUNTY, GEORGIA

REVISIONS table with columns: REV. NO., DESCRIPTION, REV. DATE.

ANY CHANGES OR ALTERATIONS MADE TO THESE CONSTRUCTION DRAWINGS WITHOUT THE SIGNATURE OF THE DESIGN PROFESSIONAL ARE VOID. ANY CHANGES MADE TO THESE DRAWINGS MUST BE FILED FOR VERIFICATION OF ANY CHANGES.



SHEET C54 OF C66
DATE: 12-11-20
SCALE: 0.25"=1'-0"
JOB NO.: 0208124/0201
REV'D BY: JNC
DRAWN BY: JNC