

MECHANICAL NOTES BY SYMBOL "○"

- 1 PROVIDE ROOF PENETRATIONS AND ROOF CURBS FOR BOOTH INTAKE DUCT AND EXHAUST DUCT. COORDINATE ROOF PENETRATION AND ROOF CURB LOCATION AND SIZE WITH BOOTH MANUFACTURER. IN THE FIELD PRIOR TO INSTALLATION, PENETRATIONS TO BE 10'-0" APART WHEN POSSIBLE. MAINTAIN 10'-0" CLEARANCE BETWEEN BUILDING INTAKE AND EXHAUST OPENINGS. SPRAY BOOTH MANUFACTURER TO PROVIDE ALL NECESSARY DUCTWORK AND CAPS FOR A COMPLETE WORKABLE SYSTEM.
- 2 VENT PIPE RISER THROUGH ROOF. ROUTE THROUGH ROOF AND SEAL ROOF PENETRATION AIR AND WATER TIGHT. MAINTAIN 10'-0" CLEARANCE BETWEEN BUILDING INTAKE AND EXHAUST OPENINGS. CONFIRM EXACT LOCATION w/ PLUMBING PLANS.
- 3 UNIT SHALL BE PLACED ON A SLOPED ROOF CURB TO MATCH ROOF SLOPE. EXTEND RETURN AND SUPPLY DUCT THROUGH CURB AND INTO SHOP AREA 18" BELOW BOTTOM OF TRUSSES. INSTALL CONCENTRIC DIFFUSER PER MANUFACTURER'S RECOMMENDATIONS WHERE SHOWN ON M.U.
- 4 EXHAUST DUCT ROUTED THROUGH ROOF TO WEATHERPROOF. CAP, SEAL ROOF PENETRATION AIR AND WATER TIGHT. MAINTAIN 10'-0" CLEARANCE BETWEEN BUILDING INTAKE OPENINGS.
- 5 GAS VENT UP THROUGH ROOF. ROUTE THROUGH ROOF AND SEAL ROOF PENETRATION AIR AND WATER TIGHT.
- 6 ROOFTOP EXHAUST FAN. MAINTAIN 10'-0" CLEARANCE TO INTAKE OPENINGS.



Order Plans @

01 MECHANICAL ROOF PLAN  
1/8"=1'-0"


BID SET 10/28/2020

1925 Prospect Ave.  
Orlando, FL 32814  
P (407) 661-9100  
F (407) 661-9101  
www.cp.com  
Florida Corporate Certificate #AA 0006326



CLIENT NAME  
**Cross Development**  
4336 Marsh Ridge  
Carrollton, TX 75010

PROJECT NAME  
**Caliber Collision Five Forks (161)**  
1215 East Bayville Rd.  
Greenville, SC 29607



RELEASE

PROJECT NO. Z200067  
DATE 07/08/2020  
DRAWN BJK  
CHECKED EAC

M1.1

COPYRIGHT © - All rights reserved. Computer file, bid data, notes and other documents are the property of LDILine.com. No part of this document may be reproduced without the prior written permission of LDILine.com. Any use or reproduction of this document without the prior written permission of LDILine.com is strictly prohibited.