

ALL DESIGNS, DRAWINGS AND SPECIFICATIONS DEPICTED ON THIS SHEET ARE THE PROPERTY OF D3 STUDIO, P.L.C. ANY UNAUTHORIZED USE OR REPRODUCTION IS SUBJECT TO LEGAL PROSECUTION. POSSESSION IN ANY FORM CONSTITUTES ACCEPTANCE OF THESE CONDITIONS. COPYRIGHT 2021

FINISH NOTES	
1	ALL INTERIOR FINISHES TO MEET REQUIREMENTS OF IBC CHAPTER 8 AND FLAME SPREAD RATINGS IN TABLE 803.9.
2	NOT USED.
3	PAINT SHEEN SHALL BE AS FOLLOWS: EGGSHELL ON ALL WALLS, FLAT ON GWB CEILINGS (EXCEPT EPOXY AT EXPO SOFFIT), SATIN ON DUCTWORK WITH DRYFALL, FLAT ON EXPOSED CEILINGS, SEMI-GLOSS ON ALL DOOR FRAMES, EPOXY ON RESTROOM WALLS (& CEILINGS IF USED). SEE ALSO NOTE 4. ALL WINDOW LEDGES SHALL BE SEMI-GLOSS FINISH.
4	ALL CONDUIT, PIPING, HVAC DUCTWORK, ETC TO BE PAINTED ALONG WITH STRUCTURE.
5	TILE INSTALLATION SHALL BE SLOPED TO DRAINS; TILE AND SUBSTRATE SHALL BE INSTALLED PER TCNA GUIDELINE; MOISTURE RESISTANT GYPBOARD OR DUROCK SHALL BE USED BEHIND WALLS THAT ARE WET WALLS; AT DEMISING WALL AT KITCHEN AND EXPO REPLACE GWB WITH MRGWB PRIOR TO INSTALLING TILE. SEE ALSO NOTES ON A1.01 REGARDING FT PLYWOOD LOCATIONS.
6	GROUT COLOR FOR QUARRY TILE - SEE G-1 IN MATERIAL SCHEDULE
7	INSTALL TILE PER ELEVATIONS SHEET A2.0 & A2.1
8	TILE AND SUBSTRATE SHALL BE INSTALLED PER TCNA GUIDELINE; MOISTURE RESISTANT GYPBOARD (AND/OR FT PLYWOOD) SHALL BE USED BEHIND WALLS THAT ARE WET WALLS.
9	PROVIDE FLOOR PREP NECESSARY FOR FLOOR TO BE LEVEL FOR NEW FLOOR FINISH UNLESS SLOPING TO DRAIN.
10	TRANSITIONS BETWEEN DISSIMILAR FLOOR MATERIALS TO OCCUR AT DOOR WHEN DOOR IS IN CLOSED POSITION. IF NO DOOR, TRANSITION TO BE IN CENTER OF CASED OPENING OR AS NOTED ON PLAN. SEE A4.0 FOR TRANSITION DETAILS.
11	NOT USED.
12	ALL SURFACES RECEIVING PAINT, VARNISH, OR WALLCOVERING SHALL BE PREPARED ACCORDING TO MANUFACTURER'S SPECIFICATIONS FOR APPLIED FINISH PRIOR TO INSTALLATION OR APPLICATION OF FINISH MATERIAL. PAINT INSTALLATION SHALL CONSIST OF MIN. ONE COAT OF PRIMER AND MIN. TWO COATS OF SPECIFIED PAINT TO PRODUCE A SATISFACTORY FINISH APPEARANCE. INSTALLATION OF ALL PAINT MATERIALS SHALL BE IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS. GC SHALL BE RESPONSIBLE FOR COMPLYING WITH VOLATILE ORGANIC COMPOUND REGULATIONS FOR ALL FINISH MATERIALS.
13	NOT USED.
14	FOR RESTROOMS - 2x2x3/4 CEILING TILE #868, WHITE TILE. GRID IS 15/16" PRELUDE ALUM. CAP GRID IN WHITE. FOR PREP AREA 111 AND OFFICE 107 - 2x4x3/4 CEILING TILE #870, WHITE TILE. GRID IS 15/16" PRELUDE ALUM. CAP GRID IN WHITE. FOR KITCHEN 112 AND EXPO 113 - 2x2x3/4 CEILING TILE #868, BLACK TILE. GRID IS 15/16" PRELUDE ALUM. CAP GRID IN BLACK. PAINT BLACK TILES BEFORE INSTALLATION IN GRID.
15	NOT USED.
16	ALL KITCHEN, RESTROOM AND SERVING AREAS WITH TILE FLOOR TO HAVE WATERPROOFING CONTINUOUS FROM WALL OUT 18" AND FROM FLOOR TO 12" AFF VERTICAL ON WALL. IF NO TILE ON FLOOR; WATERPROOFING ONLY ON WALL UP TO 12" AFF.
17	AT KITCHEN, PREP, OFFICE AND EXPO OUTSIDE AND INSIDE CORNERS USE S/S BASE FROM DECEMENT SALES.
18	GYPSPUM BOARD FINISH TO BE LEVEL FOUR MINIMUM.
19	NOT USED.
20	NOT USED.
21	WOOD TO HAVE FLAME RETARDANT APPLIED FOR CLASS A FINISH IF IT DOESN'T COME FROM MANUFACTURER WITH IT; PROVIDE PRICE IN BID SO NUMBER IS KNOWN. PROVIDE SPEC FOR POLYURETHANE FINISH W/ FIREPROOFING MIX FOR APPROVAL.
22	NOT USED.
23	PATTERN TO BE ORDERED SO THE PATTERN RUNS PARALLEL TO 4' DIMENSION; INSTALL WITH THE PATTERN RUNNING VERTICAL.
24	ALL FLOORING MATERIALS SHALL BE INSTALLED ACCORDING TO MANUFACTURER'S SPECIFICATIONS. INSTALLATION SHALL BE FREE OF ABRASION, BUBBLES, CRACKS, AND OTHER IMPERFECTIONS. SEAMING SHALL BE VISIBLY CONCEALED.
25	WHERE TILE WALL BASE MEETS TILE FLOOR, USE SCHLUTER DILEX-AHK; ANODIZED ALUM; INSIDE/OUTSIDE CORNERS AS REQUIRED; FACTORY EDGE FACING UP - SEE DETAILS ON SHEET A4.0.
26	DOOR AND MENU BOARD STAIN COLORS; PROVIDE SAMPLE FOR APPROVAL
27	AT TOP AND SIDES OF WALL TILE, USE SCHLUTER JOLLY TRANSITION STRIP, AE SATIN ANODIZED ALUMINUM COLOR: TBD; FACTORY EDGE FACING OUT.
28	USE THIS PAINT BEHIND ALL MURALS - PNT-1
29	PAINT AT INTERIOR OF EXPO EXPOSED SOFFIT TO BE EPOXY PAINT
30	CEILING TILE PAINT SPEC FOR EXPO CEILING IS - PRIMER: S-W EXTREME BOND INT/EXT BONDING PRIMER, B51W50. 2 COATS: S-W PRO INDUSTRIAL PRE-CATALYZED WATERBASED EPOXY EGG-SHELL, B45-150. COLOR IS TO BE SW6991 BLACK MAGIC. PAINT BLACK TILES BEFORE INSTALLATION IN GRID.

MATERIAL ABBREVIATIONS			
ACT	ACOUSTICAL CEILING TILE	RAF	RAISED ACCESS FLOOR
CONC	CONCRETE	RB	RUBBER BASE
CPT	CARPET	SLT	SLATE
CB	CERAMIC BASE	SR	STAIN RESISTANT FLOOR
CR	CHAIR RAIL	S/S	STAINLESS STEEL
CT	CERAMIC TILE	SSM	SOLID SURFACE MATERIAL
FRP	FIBER RESIN POLYMER	SC	STAINED CONCRETE
GL	GLASS	ST	STONE
GR	GRANITE	VWC	VINYL WALLCOVERING
ME	METAL	WC	WAINSCOT
MRGWB	MOISTURE RESISTANT GYPSUM BOARD	WD	WOOD
PLAM	PLASTIC LAMINATE	WDB	WOOD BASE
PNT	PAINT	WDS	WOOD STAIN
QT	QUARRY TILE	WT	WALL TILE
QB	QUARRY BASE	PT	PORCELAIN TILE

MATERIAL SCHEDULE									
ALL FINISHES SHALL COMPLY WITH NOTE 1 BELOW									
KEY	DESCRIPTION	MANUFACTURER	NAME	NUMBER	COLOR	SIZE	FINISH	NOTES	CONTACT INFORMATION
FLOOR & BASE									
EXT-1	EXISTING TILE	EXISTING TO REMAIN						CLEAN EXISTING GROUT AND TILE	EXISTING RESTROOMS
FL-1	STAINED CONCRETE	GC TO PROVIDE STAIN SAMPLES FOR APPROVAL					MATTE		
QT-1	QUARRY TILE	METROPOLITAN CERAMICS	QUARRY BASICS	#507	PURITAN GRAY	8"X8"	-	5,6,8,9,16; W/ G-1 GROUT	MELISSA HSIN 704.968.2829
QTB-1	QUARRY TILE BASE	METROPOLITAN CERAMICS	QUARRY BASICS	#507	PURITAN GRAY	6"X8" COVE BASE & CORNERS	-	5,6,8,16,17; W/ G-1 GROUT	MELISSA HSIN 704.968.2829
TR-1	TILE TO CONCRETE TRANSITION	GC TO VERIFY EXISTING CONDITIONS							
VB-1	VINYL BASE	JOHNSONITE	REVEAL	MW-32-F6	COLOR TBD	6" HIGH			ANA DIMEN 704.661.3711
RB-1	RUBBER BASE	JOHNSONITE (OR EQUAL)			BLACK	4" HIGH		AT KITCHEN CASEWORK & STORAGE CLOSET	ANA DIMEN 704.661.3711
MISCELLANEOUS									
S-1	QUARTZ SOLID SURFACE	PENTAL QUARTZ		TBD	TBD	-	MATTE		
PLAM-1	PLASTIC LAMINATE	FORMICA		909	BLACK		MATTE		
PLAM-2	PLASTIC LAMINATE	ARBORITE		W444	CHOCOLATE PEAR TREE		DI		
S/S	STAINLESS STEEL	FOODSERVICE VENDOR							
WALL MATERIALS									
WD-1	WOOD	PROVIDED BY GC	GC TO PROVIDE STAIN SAMPLE FOR APPROVAL						
WD-2	EXTERIOR COMPOSITE WOOD SIDING	NEW TECH WOOD (OR EQUAL)	ALL WEATHER WOOD SIDING SYSTEM	TBD	TBD			GC TO PROVIDE STAIN SAMPLE FOR APPROVAL	
WT-1	CERAMIC WALL TILE	PANTHEON	KITCHEN WALL TILE	NEVIS	COLOR TBD	4X12 OR 8X8	GLOSSY	7,8,16,27 AT KITCHEN/EXPO W/ G-2 GROUT; SCHL-1 SCHLUTER CORNER AT OUTSIDE CORNERS/EDGES OF TILE - REFER TO INTERIOR ELEVATIONS	
WT-2	PORCELAIN WALL TILE	GARDEN STATE	ORDER COUNTER TILE	DASH	COLOR TBD	3 1/2" x 14 1/4" ANGLE; 9" x 12" MICK	MATTE	7,8,16,25,27; W/ G-3 GROUT; PROVIDE SCHLUTER STRIP SCHL-1 AT OUTSIDE EDGES OF TILE	
WT-3	WOOD-LOOK WALL TILE	SPECIALTY TILE	WOOD-LOOK PLANK WALL TILE	MODERN RIDGE	COLOR TBD	6" X 36" 5/16" TH	NATURAL	7,8,16,27; G-4 GROUT - INSTALL HORIZONTALLY; SCHL-1 SCHLUTER CORNER AT OUTSIDE CORNERS/EDGES OF TILE - REFER TO INTERIOR ELEVATIONS	
WT-4	WALL TILE	PANTHEON	BEVERAGE COUNTER TILE BACKSPLASH	NEVIS	COLOR TBD	4" X 8" OR 8X8	GLOSSY	7,8,27 W/ G-5 GROUT	
EXT-1	EXISTING TILE	EXISTING TO REMAIN						CLEAN EXISTING GROUT AND TILE; REPAIR AS NEEDED	EXISTING RESTROOMS
SCHL-1	TILE EDGE PROTECTION	SCHLUTER SYSTEMS	JOLLY		COLOR TBD			TO USE AT EXPOSED OUTSIDE CORNERS OF WALL TILE	
MTL-1	METAL SHEET WAINSCOTING	WESTERN STATES METAL ROOFING	METAL SHEETS		COLOR TBD				Fernando Estrada Sales Executive, Western States Metal Roofing Or: (602) 495-0048 C: (480) 938-9837 fernando@westernstatesmetalroofing.com
FRP-1	FIBERGLASS REINFORCED PLASTIC	FIBERGLASS COMPOSITES	GLASBORD-P (PIF)	85	WHITE	10'-0" PANELS	SMOOTH	PREP, OFFICE	
FRP-2	FIBERGLASS REINFORCED PLASTIC	MARKET	STANDARD FRP	S807N	BLACK	8'-0" PANELS	SMOOTH	KITCHEN, EXPO	
PAINT & STAIN									
PNT-1	PAINT	SHERWIN WILLIAMS		SW7533	KHAKI SHADE	-		3,28	RUSS HANSEN 980.207.9410
PNT-2	NOT USED	SHERWIN WILLIAMS		SW7523	BURNISHED BRANDY	-		3,29	
PNT-3	CEILING PAINT	SHERWIN WILLIAMS		SW 6991	BLACK MAGIC	-	STRUCTURE	3,30; EXPOSED CEILING STRUCTURE	
PNT-4	ORANGE ACCENT PAINT	SHERWIN WILLIAMS		TBD	TBD	-		3	VERIFY PAINT COLOR WITH OWNER.
PNT-5	NOT USED	SHERWIN WILLIAMS		SW7535	SANDY RIDGE	-		3	
PNT-6	POWDER COAT PAINT	CARDINAL INDUSTRIES		T001-BK120	BLACK	-	10% GLOSS	QUEUE RAILING (IF USED)	
PNT-7	RESTROOM PAINT	SHERWIN WILLIAMS		TBD	TBD	-		3	REMOVE TEXTURE OFF WALLS AND REPAIR AS NEEDED
PNT-8	WHITE SOFFIT PAINT	SHERWIN WILLIAMS						3; SOFFIT PAINT	
PNT-9	EXTERIOR PAINT	SHERWIN WILLIAMS		TBD	TBD			WHITE EXTERIOR FACADE PAINT	
PNT-10	EXTERIOR PAINT	SHERWIN WILLIAMS		TBD	TBD			DARK GRAY EXTERIOR FACADE PAINT	
PNT-11	EXTERIOR PAINT	SHERWIN WILLIAMS		TBD	TBD			ACCENT PAINT EXTERIOR FACADE PAINT	
WDS-1	WOOD STAIN	BENJAMIN MOORE		-	ENGLISH CHESTNUT	-	SATIN	26, DOORS	PROVIDE SAMPLES FOR APPROVAL
WDS-2	WOOD STAIN	BENJAMIN MOORE		-	DARK WALNUT	-	SATIN	26, MENU BOARDS	PROVIDE SAMPLES FOR APPROVAL
CEILING									
ACT-1	ARMSTRONG	CLEANROOM VL		SEE NOTE 14	WHITE	SEE NOTE 14		14	
ACT-2	ARMSTRONG	CLEANROOM VL		SEE NOTE 14	BLACK	SEE NOTE 14		14,30	
EX-1	EXISTING EXPOSED CEILING	EXISTING	PAINT PNT-3					PAINT CEILING, ALL DUCT WORK, AND WALLS DOWN TO PAINT LINE - REFER TO ELEVATIONS	
CL-1	GYP SOFFIT		PAINT PER PLAN						
GROUT									
G-1	KITCHEN FLOOR GROUT	MAPEI	KERAPOXY	9	GRAY			1/4" GROUT JOINT, U.N.O.	MELISSA HSIN 704.968.2829
G-2	KITCHEN WALL GROUT	QUARTZLOCK2	URETHANE GROUT					3/8" GROUT JOINT, U.N.O.	MELISSA HSIN 704.968.2829
G-3	ORDER COUNTER TILE	CUSTOM BUILDING PRODUCTS	FUSION PRO					3/8" GROUT JOINT, U.N.O.	MELISSA HSIN 704.968.2829
G-4	WOOD-LOOK TILE	CUSTOM BUILDING PRODUCTS	FUSION PRO					3/16" GROUT JOINT, U.N.O.	MELISSA HSIN 704.968.2829
G-5	BEVERAGE COUNTER BACKSPLASH	CUSTOM BUILDING PRODUCTS	FUSION PRO					3/8" GROUT JOINT, U.N.O.	MELISSA HSIN 704.968.2829

d3 studio
 PLANNING * ARCHITECTURE * INTERIORS
 1318 CENTRAL AVENUE :: SUITE A-10
 CHARLOTTE, NC 28205
 WEBSITE :: WWW.D3STUDIO.COM



FOR CONSTRUCTION

Viva Chicken
 PERUVIAN ROTISSERIE JOINT
 1139 WOODRUFF RD.
 -SUITE B
 GREENVILLE, SC
 29607

REVISION		
no.	date	comment

DRAWN BY: **JWT**
 CHECKED BY: **SFB**
 SUBMITTAL DATE: **02.09.2021**
 PROJECT NUMBER: **02-2031**

FINISH SCHEDULE

A1.4