

LOCATION	NO. OF LOC.	MARK	LENGTH		NO. BARS REQ'D	Y P E	AG	B		C		D		E		F		H		J		K		N	θ
			FT.	IN.				FT.	IN.	FT.	IN.	FT.	IN.	FT.	IN.	FT.	IN.	FT.	IN.	FT.	IN.	FT.	IN.		
STAGE III SPAN 3	1																								
		500B	43-5	220	3			42-5	1-0																
		500D	6-6	220	3			5-6	1-0																
		500F	5-2	42	30	4	4	3-4	0-5	0-5															
		500G	5-9	28	1																				
		501B	42-5	220	1																				
		502C	17-6	72	1																				
		502D	17-8	12	1																				
		503A	6-11	195	2			0-9	3-11	3-11															
		503B	8-3	195	2			0-9	3-9	3-9															
		506A	3-5	64	7			1-5	1-0	1-0													135	45	
		507D	42-3	3	1																				
		508B	6-6	15	1																				
		508D	5-2	3	1																				
		509C	3-4	10	1																				
		509D	5-3	10	1																				
		560	7-6	5	1																				
		561B	45-4	2	1																				
		600	10-0	56	1																				
		800B	50-2	4	1																				
		801B	42-4	2	1																				
		802B	6-6	10	1																				
		802D	5-2	2	1																				
STAGE III SPAN 4	1																								
		300	5-0	1	1																				
		400A	45-8	115	1																				
		400C	48-9	115	1																				
		402B	5-5	6	33			1-9	0-7																
		403	0-8	48	1																				
		404B	45-2	6	1																				
		405C	9-8	29	31	4	4	0-9	4-1	4-1															
		405D	8-9	12	25	4	4	0-9	3-3																
		406B	4-6	1	3			3-10	0-8																
		407D	6-5	20	1																				
		408F	9-1	25	25	4	4	0-7	3-7																
		408G	7-5	10	25	4	4	0-7	2-9																
		409B	5-2	94	1																				
		500B	43-5	164	3			42-5	1-0																
		500D	6-6	164	3			5-6	1-0																
		500F	5-2	30	30	4	4	3-4	0-5	0-5															
		500G	5-9	20	1																				
		501B	42-5	164	1																				
		502D	17-8	48	1																				
		502G	17-11	12	1																				
		503A	6-11	142	2			0-9	3-11	3-11															
		503B	8-3	142	2			0-9	3-9	3-9															
		504C	6-7	18	46			3-4	1-4	0-6	1-0	1-0													
		504D	7-5	32	46			3-4	2	0-8	1-0	1-0													
		505B	45-2	1	1																				
		506A	3-5	64	7			1-5	1-0	1-0													135	45	
		506B	6-4	64	3			1-3																	
		507D	42-3	2	1																				
		508B	6-6	10	1																				
		508D	5-2	2	1																				
		509C	3-4	10	1																				
		509D	5-3	10	1																				
		561B	45-4	2	1																				
		800B	50-2	2	1																				
		801B	42-4	1	1																				

www.LDILine.com

Order Plans @

1 INCH WHEN PRINTED FULL SIZE

INFRASTRUCTURE
CONSULTING & ENGINEERING
4940 PEACHTREE INDUSTRIAL BLVD., SUITE 310
NORCROSS, GEORGIA 30071

DRAWING NO. 35-0033
BRIDGE SHEET 33 OF 34

DATE	
REVISIONS	
BY	

BRIDGE NO. 1

GEORGIA
DEPARTMENT OF TRANSPORTATION
ENGINEERING DIVISION-OFFICE OF BRIDGES AND STRUCTURES

BAR REINFORCING SCHEDULE
SR 18 OVER LONG CANE CREEK
TROUP COUNTY 0013999

NO SCALE NOVEMBER 2020

DESIGNED DVW CHECKED SAW REVIEWED DLC/SKG
DRAWN JNA/ADK DESIGN GROUP DPD APPROVED WMD