

NOTES:

- 4-FT. HT. CHAIN-LINK FENCE WITH TOP AND BOTTOM RAIL IS USED AS GUARD RAIL AT RETAINING WALL LOCATIONS.
- SHOP DRAWING SUBMITTAL SHALL CONFIRM THAT THE FENCE COMPLIES WITH 2018 IBC SECTION 1015 & 1607.8 (GENERALLY DESCRIBED BELOW).
 - TOP BAR & HAND RAIL: RESIST A LINEAR LOAD OF 50 POUNDS PER LINEAR FOOT & RESIST 200LB CONCENTRATED LOAD.
 - 4 INCH DIAMETER SPHERE CANNOT PASS THROUGH ANY OPENING UP TO A HEIGHT OF 34 INCHES. (VERTICAL PICKETS/POST OR BOTTOM RAIL)
- CONSTRUCTION OF UTILITIES SHOULD BE COMPLETED COINCIDENTLY WITH THE CONSTRUCTION OF THE RETAINING WALL(S). THERE WILL BE NO TRENCHING ALLOWED ONCE GEOGRID IS PLACED AND WALL IS CONSTRUCTED; UNDER NO CIRCUMSTANCE SHOULD THE GEOGRID BE SEVERED.



- LEGEND:**
- RIDGEROCK CAP UNITS, OR EQUIVALENT
 - RIDGEROCK BLOCK UNITS, OR EQUIVALENT
 - 8-INCH LEVELING PAD
 - GRIDLOCK 370 STRUCTURAL GEOGRID, OR EQUIVALENT
 - FINISHED GRADE AT TOP OF WALL
 - FINISHED GRADE AT BOTTOM OF WALL
- STA** STATION ALONG RETAINING WALL ALIGNMENT
- "L"** MINIMUM GEOGRID EMBEDMENT LENGTH
- "L₁"** MINIMUM GEOGRID EMBEDMENT LENGTH FOR UPPER MOST GEOGRID LAYER
- TOW** ELEVATION AT TOP OF CAP BLOCK
- BOW** ELEVATION AT BOTTOM OF BLOCK; TOP OF LEVELING PAD
- INDICATES CHANGE IN GRID TYPE AND/OR CHANGE IN GRID ELEVATION

WOOLPERT
ARCHITECTURE | ENGINEERING | GEOSPATIAL

11301 Camel Commons Blvd
Suite 300
Charlotte, NC 28226
704.525.6284
FAX: 704.525.0115

Terracon
Consulting Engineers and Scientists

486 SOUTH ASH AVENUE, SUITE H-4 TEMPE, AZ 85282
PH: (480) 997-8320 FAX: (480) 997-1133



WALL 2 STA 5+40.0 TO 7+95.5: BLOCK AND GEOGRID PLACEMENT

Order Plans @ www.LDILine.com

Lancaster County, South Carolina
Indian Land Soccer Complex

10167 Harrisburg Road
Indian Land, SC 29707

Revisions:
1/19/21 Added Note

Proj. No.: 80702
Date: 11/16/2020

Sheet Name:
Wall 2 Profile
(Continued)

RW-6