


A LOW VOLTAGE PLAN - DEMOLITION
 E4.0 SCALE: 3/32" = 1'-0"



B LOW VOLTAGE PLAN - NEW
 E4.0 SCALE: 3/32" = 1'-0"

- NOTES:
1. TELEPHONE OUTLET. CONDUIT SHALL BE ROUTED BACK TO TELEPHONE BOARD AND PULL STRING INSTALLED FOR TELEPHONE COMPANY.
 2. ALL UNDER SLAB CONDUITS SHALL STUB UP ABOVE WALL IN CABLING ROOM BEHIND DATA CABINET INSIDE WALL.
 3. PROVIDE 1-1/2" C WITH PULL STRING ROUTED TO 8" ABOVE CEILING IN WALL FOR CABLES. PROVIDE 1/2" C WITH PULL STRING ROUTED TO ROOF FOR COAX. CONDUIT SHALL REMAIN CONCEALED. ROUTE UNDER SLAB AS REQUIRED.
 18. JUNCTION BOX FOR COAX FOR PUBLIC VIEW MONITOR. MOUNT AT BOTTOM OF BAR JOIST UNLESS NOTED OTHERWISE. COORDINATE WITH LOWES FOODS ENGINEER FOR FINAL CONNECTION. VERIFY QUANTITY AND LOCATIONS.
 19. JUNCTION BOX FOR DOOR BELL SYSTEM PUSH BUTTON AND OR DOOR BELL SYSTEM BELL. PROVIDE 1/2" C WITH PULL STRING TO DATA MUSIC SYSTEM. DOOR BELL SYSTEM SHALL BE 24V. SYSTEM SHALL HAVE TWO DIFFERENT CHIMES. ONE FOR FRONT PUSH BUTTON AND ONE FOR REAR PUSH BUTTON. THREE BELLS SHALL BE REQUIRED. ONE SHALL BE IN FRONT OFFICE AREA, ONE SHALL BE AT REAR OF STORE AND ONE SHALL BE OUTSIDE. D.S.D. RECEIVING. COORDINATE WITH LOWES FOODS ENGINEER FOR EXACT LOCATIONS AND REQUIREMENTS.
 20. JUNCTION BOX NEEDED IN WALL AT 48" AFF FOR HIDDEN CAMERA. COORDINATE WITH LOWES FOODS ENGINEER FOR EXACT TERMINATION POINT OF CONDUIT. PROVIDE PULL STRING. CONDUIT SHALL BE CONCEALED. ROUTE UNDER SLAB AS REQUIRED.
 21. CONTRACTOR SHALL PROVIDE ALL REQUIRED CONTROL CONDUIT WITH PULL STRING BETWEEN OSS-1 IN D.S.D. RECEIVING AND OSS-1 ON ROOF. CONTROL WIRING SHALL BE BY MECHANICAL CONTRACTOR. COORDINATE WITH MECHANICAL CONTRACTOR FOR EXACT REQUIREMENTS.
 22. JUNCTION BOX FOR CONTROL CIRCUIT FOR T.C.P. LONG SHEDDING. PROVIDE CONDUIT WITH PULL STRING AS SHOWN ROUTED TO T.C.P. PANEL IN ELECTRICAL ROOM 101. COORDINATE WITH S.E.C.O. FOR EXACT REQUIREMENTS.
 23. PROVIDE 1/2" C WITH PULL STRING LOOPED TO "LIFE" SPEAKER PHONE LOCATION. COORDINATE WITH LOWES FOODS ENGINEER FOR EXACT TERMINATION LOCATION. SEE CIVIL PLAN FOR DRIVE-UP LOCATION.
 24. DATA HUB/STREET FOR FUTURE SELF DESKTOP. VERIFY EXACT LOCATION WITH LOWES FOODS ENGINEER.
 25. ELECTRICAL CONTRACTOR SHALL PROVIDE JUNCTION BOX AND 1/2" C WITH PULL STRING TO CONTROL PANEL FOR MAGNETIC DOOR SWITCH. MECHANICAL CONTRACTOR TO PROVIDE AND INSTALL CONTROL PANEL AND MAGNETIC DOOR SWITCH FOR AIR CURTAIN OPERATION.
 26. P.V. CAMERA. COORDINATE EXACT LOCATIONS WITH LOWES FOODS ENGINEER. WHERE CAMERA IS MOUNTED IN WALL OR HANG CEILING PROVIDE 1/2" C WITH PULL STRING TO ACCESSIBLE LOCATION.
 27. SPEAKER LOCATION. COORDINATE WITH LOWES FOODS ENGINEER FOR EXACT REQUIREMENTS. PROVIDE 1/2" C WITH PULL STRING TO ACCESSIBLE LOCATION.

CONTRACTOR SHALL VERIFY ALL ROUTING OF CONDUIT WITH LOWES FOODS ENGINEER BEFORE WORK BEGINS.

ALL CONDUIT ROUTED ON ROOF SHALL BE SUPPORTED WITH FIRESTONE BUILDING PRODUCTS "RED SHIELD PIPE SUPPORTS". PROVIDE SUPPORTS AND APPURTENANCES AS PER THE MANUFACTURERS RECOMMENDATIONS.

SYMBOL LEGEND (FOR REFERENCE ONLY)

	2-DATA
	VOLUME CONTROL BOX STUB CONDUIT INTO CEILING

Order Plans @ www.LDIDline.com

bai - ARCHITECTS
 978 Trilby Road - Raleigh, North Carolina 27607 - p:919.859.7121 - f:919.859.7121 - bai-architects.com
 THE USE OF THESE PLANS AND SPECIFICATIONS SHALL BE RESTRICTED TO THE ORIGINAL SITE FOR WHICH THEY WERE PREPARED AND PUBLICATION OF THESE PLANS AND SPECIFICATIONS IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF BAI ARCHITECTS IS STRICTLY PROHIBITED. VISUAL CONTACT WITH THESE PLANS AND SPECIFICATIONS SHALL CONSTITUTE FRAUD IN VIOLATION OF THESE RESTRICTIONS.

NO.	DATE	REVISIONS

DATE: 06/01/20
 07/17/20

DATE: 06/01/20
 07/17/20

DATE: 06/01/20
 07/17/20

INTERIOR RENOVATION FOR
 STORE # 182 AT
 WALKERTOWN COMMONS
 SHOPPING CENTER
 5180 Painsville Road
 Walkertown, North Carolina 27051

