

**SITE SHEET NOTES**

- POWER WASH SIDEWALK ON FRONT OF BUILDING AND ACC.
- PROVIDE NEW SEALANT AT ALL JOINTS BETWEEN EXTERIOR WALLS AND ADJACENT CONCRETE SIDEWALK PAVING. REF SPEC 07900. IF PRESENT, REMOVE EXISTING SEALANT AND BACKER PRIOR TO RE-SEALING JOINTS.
- REPAINT PERIMETER SIDEWALK AND FIRE LANE CURB.
- NOT USED.
- REPLACE ALL MISSING SITE SIGNS WITHIN CLOSE PROXIMITY TO STRUCTURE.
- NOT USED.

**KEYNOTES**

5.01 6" PIPE BOLLARD WITH GRAY PLASTIC SLEEVE (HEIGHT OF SLEEVE NOTED ADJACENT TO KEYNOTE)

5.02 6" REMOVABLE BOLLARD WITH GRAY PLASTIC SLEEVE (HEIGHT OF SLEEVE NOTED ADJACENT TO KEYNOTE)

6.55 6" REMOVABLE BOLLARD COVERS AT FRONT ENTRANCE. ANCHOR COVERS TO REF SPEC.

**SGA Design Group, P.C.**  
 1437 South Boulder, Suite 550  
 Tulsa, Oklahoma 74116  
 T: (918) 587-8800  
 F: (918) 587-8901  
 www.sgadesigngroup.com

**STIPULATION FOR REUSE**  
 THIS DRAWING IS THE PROPERTY OF SGA DESIGN GROUP. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF SGA DESIGN GROUP.

**CONSULTANTS**

**Walmart**  
 PRATTVILLE, AL  
 1903 COBBES FORD RD  
 STORE NO. 0465-249  
 2084988 | PHOTO  
 2021 MAJOR PROJECT

**ISSUE BLOCK**


NO.	DATE	DESCRIPTION

CHECKED BY: TRO/AMV  
 DRAWN BY: NL  
 PROTO CYCLE: 01/29/21  
 DOCUMENT DATE: 03/31/21


THE RECORD COPY OF THIS DRAWING IS TO BE FILED AT THE OFFICE OF SGA DESIGN GROUP. THIS ELECTRONIC DOCUMENT IS RELEASED FOR THE PURPOSE OF REFERENCE. COORDINATOR AND/OR FACILITY MANAGEMENT: THIS DRAWING SHALL NOT BE CONSIDERED FINAL OR COMPLETE UNLESS IT IS SIGNED AND SEALED BY THE ARCHITECT.

STATE OF ALABAMA  
 ARCHITECT  
 ARIANE V. TATTERSHALL  
 8016  
 03/31/2021


**SITE PLAN**  
 SHEET: SP1




7 FLATWORK JOINT  
 3/4" = 1'-0"




6 REMOVABLE BOLLARD  
 1/2" = 1'-0"




5 BOLLARD  
 1/2" = 1'-0"




4 GC ENTRY PLAN  
 3/16" = 1'-0"



3 GM ENTRY PLAN  
 1/8" = 1'-0"



2 GR ENTRY PLAN  
 1/8" = 1'-0"



1 SITE PLAN  
 1" = 30'-0"

ARCHITECTURAL FINISH FLOOR = 100.00'  
 NOTE:  
 FINISH FLOOR ELEVATION AT ALL EXTERIOR DOORS = 100.00' UNLESS NOTED OTHERWISE

REFER TO SPEC SECTION 01500 FOR DETAILS AND REQUIREMENTS FOR STORMWATER POLLUTION CONTROLS AND SITE STORAGE OF MATERIALS AND EQUIPMENT. DEVIATIONS FROM DETAILS SHOWN MUST BE SUBMITTED FOR APPROVAL IN ACCORDANCE WITH SPEC SECTION 01330.

REPLACE JOINT FILLER MATERIAL AT GM AND GR ENTRANCES. AREA TO BE REPLACED FROM PAVING TO STORE ENTRANCE BY WIDTH OF VESTIBULE. REF SHEET SA1 FOR BID ALLOWANCE.

REPLACE DAMAGED AND/OR INSTALL NEW OWNER FURNISHED CART CORRAL. COORDINATE SCOPE WITH STORE SETUP. REF SHEET SA1 FOR BID ALLOWANCE.

PATCH AND REPAIR CONCRETE, STAMPED CONCRETE AND ASPHALTIC PAVING TO MATCH ADJACENT EXISTING MATERIALS WHERE NEW BOLLARDS ARE ADDED. MATCH EXISTING COLOR AND FINISHES. MATCH EXISTING SLOPES. REF 7-SP1 FOR FLATWORK REPLACEMENT.

Order Plans @

WWW.LDILINE.COM