

UTILITY LINECODES

UTILITY SYMBOLS

EXISTING	TO BE REMOVED	PROPOSED	TYPE OF UTILITY
			ELECTRIC ELECTRIC/TELECOMMUNICATIONS ELECTRIC/CABLE TV ELECTRIC/TRAFFIC CONTROL ELECTRIC/TELECOMMUNICATIONS/CABLE TV ELECTRIC/TELECOMMUNICATIONS/CABLE TV/TRAFFIC CONTROL ELECTRIC/CABLE TV/TRAFFIC CONTROL ELECTRIC/TELECOMMUNICATIONS/TRAFFIC CONTROL GUY WIRE TELECOMMUNICATIONS TELECOMMUNICATIONS/TRAFFIC CONTROL TELECOMMUNICATIONS/CABLE TV/TRAFFIC CONTROL TELECOMMUNICATIONS/CABLE TV CABLE TV CABLE TV/TRAFFIC CONTROL TRAFFIC CONTROL
			ELECTRIC (QL-D) ELECTRIC (QL-C) ELECTRIC (QL-B) TELECOMMUNICATIONS (QL-D) TELECOMMUNICATIONS (QL-C) TELECOMMUNICATIONS (QL-B) CABLE TV (QL-D) CABLE TV (QL-C) CABLE TV (QL-B) WATER (QL-D) WATER (QL-C) WATER (QL-B) WATER FOR LABELED PIPE SIZES (QL-D) WATER FOR LABELED PIPE SIZES (QL-C) WATER FOR LABELED PIPE SIZES (QL-B) NON-POTABLE WATER (QL-D) NON-POTABLE WATER (QL-C) NON-POTABLE WATER (QL-B) NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-D) NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-C) NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-B) STEAM (QL-D) STEAM (QL-C) STEAM (QL-B) STEAM FOR LABELED PIPE SIZES (QL-D) STEAM FOR LABELED PIPE SIZES (QL-C) STEAM FOR LABELED PIPE SIZES (QL-B) SANITARY SEWER WITH FLOW DIRECTION (QL-D) SANITARY SEWER WITH FLOW DIRECTION (QL-C) SANITARY SEWER WITH FLOW DIRECTION (QL-B) SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-D) SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-C) SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-B) SANITARY SEWER FORCE MAIN WITH FLOW DIRECTION (QL-D) SANITARY SEWER FORCE MAIN WITH FLOW DIRECTION (QL-C) SANITARY SEWER FORCE MAIN WITH FLOW DIRECTION (QL-B) GAS (QL-D) GAS (QL-C) GAS (QL-B) GAS FOR LABELED PIPE SIZES (QL-D) GAS FOR LABELED PIPE SIZES (QL-C) GAS FOR LABELED PIPE SIZES (QL-B) PETROLEUM (QL-D) PETROLEUM (QL-C) PETROLEUM (QL-B) PETROLEUM FOR LABELED PIPE SIZES (QL-D) PETROLEUM FOR LABELED PIPE SIZES (QL-C) PETROLEUM FOR LABELED PIPE SIZES (QL-B) TRAFFIC CONTROL (QL-D) TRAFFIC CONTROL (QL-C) TRAFFIC CONTROL (QL-B) UNKNOWN UTILITY FOUND IN SUE INVESTIGATION (QL-B)
			WATER (QL-D) WATER (QL-C) WATER (QL-B) WATER FOR LABELED PIPE SIZES (QL-D) WATER FOR LABELED PIPE SIZES (QL-C) WATER FOR LABELED PIPE SIZES (QL-B) NON-POTABLE WATER (QL-D) NON-POTABLE WATER (QL-C) NON-POTABLE WATER (QL-B) NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-D) NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-C) NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-B) STEAM (QL-D) STEAM (QL-C) STEAM (QL-B) STEAM FOR LABELED PIPE SIZES (QL-D) STEAM FOR LABELED PIPE SIZES (QL-C) STEAM FOR LABELED PIPE SIZES (QL-B) SANITARY SEWER WITH FLOW DIRECTION (QL-D) SANITARY SEWER WITH FLOW DIRECTION (QL-C) SANITARY SEWER WITH FLOW DIRECTION (QL-B) SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-D) SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-C) SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-B) SANITARY SEWER FORCE MAIN WITH FLOW DIRECTION (QL-D) SANITARY SEWER FORCE MAIN WITH FLOW DIRECTION (QL-C) SANITARY SEWER FORCE MAIN WITH FLOW DIRECTION (QL-B) GAS (QL-D) GAS (QL-C) GAS (QL-B) GAS FOR LABELED PIPE SIZES (QL-D) GAS FOR LABELED PIPE SIZES (QL-C) GAS FOR LABELED PIPE SIZES (QL-B) PETROLEUM (QL-D) PETROLEUM (QL-C) PETROLEUM (QL-B) PETROLEUM FOR LABELED PIPE SIZES (QL-D) PETROLEUM FOR LABELED PIPE SIZES (QL-C) PETROLEUM FOR LABELED PIPE SIZES (QL-B) TRAFFIC CONTROL (QL-D) TRAFFIC CONTROL (QL-C) TRAFFIC CONTROL (QL-B) UNKNOWN UTILITY FOUND IN SUE INVESTIGATION (QL-B)
			NON-POTABLE WATER (QL-D) NON-POTABLE WATER (QL-C) NON-POTABLE WATER (QL-B) NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-D) NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-C) NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-B)
			STEAM (QL-D) STEAM (QL-C) STEAM (QL-B) STEAM FOR LABELED PIPE SIZES (QL-D) STEAM FOR LABELED PIPE SIZES (QL-C) STEAM FOR LABELED PIPE SIZES (QL-B)
			SANITARY SEWER WITH FLOW DIRECTION (QL-D) SANITARY SEWER WITH FLOW DIRECTION (QL-C) SANITARY SEWER WITH FLOW DIRECTION (QL-B) SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-D) SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-C) SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-B)
			GAS (QL-D) GAS (QL-C) GAS (QL-B) GAS FOR LABELED PIPE SIZES (QL-D) GAS FOR LABELED PIPE SIZES (QL-C) GAS FOR LABELED PIPE SIZES (QL-B)
			PETROLEUM (QL-D) PETROLEUM (QL-C) PETROLEUM (QL-B) PETROLEUM FOR LABELED PIPE SIZES (QL-D) PETROLEUM FOR LABELED PIPE SIZES (QL-C) PETROLEUM FOR LABELED PIPE SIZES (QL-B)

EXISTING	PROPOSED	TEMPORARY	EXISTING	PROPOSED	TEMPORARY	TYPE OF UTILITY
						CLEANOUT
						SANITARY SEWER MANHOLE
						AIR RELEASE VALVE
						GREASE TRAP
						SANITARY SEWER FORCE MAIN VALVE
						GAS VALVE
						GAS METER
						GAS MANHOLE
						GAS PRESSURE REGULATOR
						GAS VAULT
						GAS TEST STATION
						PETROLEUM VALVE
						TRAFFIC CONTROL MANHOLE/ ELECTRIC COMMUNICATIONS BOX
						TRAFFIC CONTROL PEDESTRIAN SIGNAL/BUTTON POST

FOR PROPOSED/TEMPORARY
TRAFFIC CONTROL INFORMATION
REFER TO TRAFFIC SIGNAL PLANS

MISCELLANEOUS

	LIMITS OF OVERHEAD AND SUBSURFACE UTILITY INVESTIGATION
	TEST HOLE (QL-A ONLY)
	END OF INFORMATION
	QUALITY LEVEL (QL) DELINEATION
	POLE ID
	SANITARY SEWER MANHOLE (SSMH) ID
	CONFLICT LOCATION (UTILITY IMPACT ANALYSIS (UIA) ONLY)

QUALITY LEVELS AND DEFINITIONS

QL-D DEPICTED ACCORDING TO UTILITY RECORD INFORMATION AND IN-FIELD VISUAL INSPECTION. NO ELECTRONIC DESIGNATING INFORMATION WAS OBTAINED.

QL-C EXISTING UTILITY STRUCTURES HAVE BEEN FIELD LOCATED AND SURVEYED TO ASSIST IN DEPICTING THE UTILITIES SHOWN ON RECORDS. NO ELECTRONIC DESIGNATING INFORMATION WAS OBTAINED.

QL-B INFORMATION WAS OBTAINED THROUGH THE APPLICATION OF APPROPRIATE SURFACE GEOPHYSICAL METHODS TO DETERMINE THE EXISTENCE AND APPROPRIATE HORIZONTAL POSITION OF THE SUBSURFACE UTILITIES. QL-B DATA SHOULD BE REPRODUCIBLE BY SURFACE GEOPHYSICS AT ANY POINT OF THEIR DEPICTION. THIS INFORMATION IS SURVEYED TO APPLICABLE TOLERANCES DEFINED BY THE PROJECT AND REDUCED ONTO PLAN DOCUMENTS.

QL-A OBTAIN PRECISE HORIZONTAL AND VERTICAL POSITION OF THE UTILITY LINE BY EXCAVATING A TEST HOLE. THE TEST HOLE SHALL BE DONE USING VACUUM EXCAVATION OR COMPARABLE NONDESTRUCTIVE EQUIPMENT IN A MANNER AS TO CAUSE NO DAMAGE TO THE UTILITY LINE. AFTER EXCAVATING A TEST HOLE, A FIELD SURVEY SHALL BE PERFORMED TO DETERMINE THE EXACT LOCATION AND POSITION OF THE UTILITY LINE.

TELEPHONE PAIR SIZE TABLE

TELEPHONE PAIR SIZE	TELEPHONE CABLE DIAMETER
5 - 100	0.50 TO 2.00 IN
101 - 2400	UP TO 3.50 IN

REVISION DATES

REVISION DATES		UTILITY RELOCATION PLANS DELESSEPS/LA ROCHE AVE FM WATERS AVE TO SKIDAWAY RD	
CHECKED:	DATE:	CHECKED:	DATE:
BACKCHECKED:	DATE:	CORRECTED:	DATE:
CORRECTED:	DATE:	VERIFIED:	DATE:
VERIFIED:	DATE:	DRAWING No. 44-0000	