

REQD R/W - PAR 19/SV-023 REQ'D R/W DE117

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
DE10755	25.14 L	110+18.00	C/L DELESSEPS
	8.86	N 15°56'44.7" E	
DE10756	34.00 L	110+18.00	C/L DELESSEPS
	18.46	S 74°03'15.3" E	
DE10757	34.00 L	110+36.46	C/L DELESSEPS
	8.82	S 15°48'25.3" W	
15073	25.18 L	110+36.46	C/L DELESSEPS
	18.48	N 74°11'33.8" W	
DE10755	25.14 L	110+18.00	C/L DELESSEPS
REQD R/W	- 163.26	SF	
REQD R/W	- 0.004	ACRES	
REMAINDER	- +/- 0.09	ACRES	

REQD R/W - PAR 20/SV-031 - TRACT 2 REQ'D R/W DE121

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
DE10766	23.69 L	113+06.00	C/L DELESSEPS
	14.95	N 61°43'36.0" E	
DE10767	34.00 L	113+16.82	C/L DELESSEPS
	10.42	S 15°48'25.8" W	
15075	23.58 L	113+16.74	C/L DELESSEPS
	10.74	N 74°04'55.5" W	
DE10766	23.69 L	113+06.00	C/L DELESSEPS
REQD R/W	- 55.95	SF	
REQD R/W	- 0.001	ACRES	
TOTAL REQ'D R/W (TRACTS 1 & 2)	- 301.86	SF	
TOTAL REQ'D R/W (TRACTS 1 & 2)	- 0.007	ACRES	
REMAINDER	- +/- 0.67	ACRES	

REQD - PAR 21/SV-016 REQ'D EASMT. DE141

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
DE10807	26.00 R	108+26.95	C/L DELESSEPS
	42.05	S 74°03'15.3" E	
DE10813	26.00 R	108+69.00	C/L DELESSEPS
	6.86	S 25°30'38.9" E	
DE10812	31.14 R	108+73.54	C/L DELESSEPS
	13.11	S 16°55'58.6" W	
DE10814	24.00 R	401+47.16	C/L SALVADOR ST
	11.50	N 20°33'35.7" W	
DE10815	35.00 R	108+66.47	C/L DELESSEPS
	39.52	N 74°03'15.3" W	
DE10809	35.00 R	108+26.95	C/L DELESSEPS
	9.00	N 15°58'18.2" E	
DE10807	26.00 R	108+26.95	C/L DELESSEPS
REQD EASMT	- 438.85	SF	
REQD EASMT	- 0.010	ACRES	

REQD R/W - PAR23/SV-020 REQ'D R/W DE144

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
15027	23.19 R	109+56.96	C/L DELESSEPS
	40.00	S 74°03'15.3" E	
15029	23.28 R	109+96.96	C/L DELESSEPS
	8.00	S 16°04'19.1" W	
DE10824	25.00 R	109+96.96	C/L DELESSEPS
	40.00	N 74°03'15.3" W	
DE10816	25.00 R	109+56.96	C/L DELESSEPS
	1.81	N 16°04'17.3" E	
15027	23.19 R	109+56.96	C/L DELESSEPS
REQD R/W	- 70.70	SF	
REQD R/W	- 0.002	ACRES	
REMAINDER	- +/- 0.10	ACRES	

REQD - PAR 19/SV-023 REQ'D EASMT. DE118

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
15071	25.09 L	109+96.48	C/L DELESSEPS
	14.91	N 15°48'25.3" E	
DE10758	40.00 L	109+96.44	C/L DELESSEPS
	40.00	S 74°03'15.3" E	
DE10759	40.00 L	110+36.44	C/L DELESSEPS
	6.00	S 15°48'25.3" W	
DE10757	34.00 L	110+36.46	C/L DELESSEPS
	18.46	N 74°03'15.3" W	
DE10756	34.00 L	110+18.00	C/L DELESSEPS
	8.86	S 15°56'44.7" W	
DE10755	25.14 L	110+18.00	C/L DELESSEPS
	21.52	N 74°11'33.8" W	
15071	25.09 L	109+96.48	C/L DELESSEPS
REQD EASMT	- 431.39	SF	
REQD EASMT	- 0.010	ACRES	

REQD - PAR 20/SV-031 REQ'D EASMT. DE120

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
DE10761	25.58 L	110+65.00	C/L DELESSEPS
	8.42	N 15°56'44.7" E	
DE10760	34.00 L	110+65.00	C/L DELESSEPS
	28.54	N 74°03'15.3" W	
DE10757	34.00 L	110+36.46	C/L DELESSEPS
	6.00	N 15°48'25.3" E	
DE10759	40.00 L	110+36.44	C/L DELESSEPS
	63.28	S 74°03'08.1" E	
DE10762	40.00 L	110+99.72	C/L DELESSEPS
	203.61	S 74°39'27.5" E	
DE10763	40.00 L	113+03.75	C/L DELESSEPS
	22.55	N 16°17'24.2" E	
DE10764	34.00 R	500+38.00	C/L CEDAR ST
	12.93	S 73°42'35.8" E	
DE10765	21.07 R	500+38.00	C/L CEDAR ST
	28.34	S 15°48'25.8" W	
DE10767	34.00 L	113+16.82	C/L DELESSEPS
	14.95	N 61°43'36.0" W	
DE10766	23.69 L	113+06.00	C/L DELESSEPS
	229.16	N 74°04'55.5" W	
1015	25.74 L	110+76.57	C/L DELESSEPS
	11.58	N 74°51'20.8" W	
DE10761	25.58 L	110+65.00	C/L DELESSEPS
REQD EASMT	- 4226.50	SF	
REQD EASMT	- 0.097	ACRES	

REQD R/W - PAR 22/SV-018 REQ'D R/W DE142

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
DE10820	19.77 L	401+58.00	C/L SALVADOR ST
	32.74	N 16°04'19.6" E	
15026	23.10 R	109+16.96	C/L DELESSEPS
	40.00	S 73°55'41.0" E	
15027	23.19 R	109+86.96	C/L DELESSEPS
	1.81	S 16°04'17.3" W	
DE10816	25.00 R	109+56.96	C/L DELESSEPS
	31.96	N 74°03'15.3" W	
DE10817	25.00 R	109+25.00	C/L DELESSEPS
	4.80	S 61°09'13.7" W	
DE10818	28.38 R	109+21.59	C/L DELESSEPS
	27.53	S 16°55'58.6" W	
DE10819	24.00 L	401+58.00	C/L SALVADOR ST
	4.23	N 73°04'01.4" W	
DE10820	19.77 L	401+58.00	C/L SALVADOR ST
REQD R/W	- 217.61	SF	
REQD R/W	- 0.005	ACRES	
REMAINDER	- +/- 0.10	ACRES	

REQD - PAR23/SV-020 REQ'D EASMT. DE145

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
DE10816	25.00 R	109+56.96	C/L DELESSEPS
	40.00	S 74°03'15.3" E	
DE10824	25.00 R	109+96.96	C/L DELESSEPS
	8.00	S 16°04'19.1" W	
DE10826	33.00 R	109+96.94	C/L DELESSEPS
	40.00	N 74°03'15.3" W	
DE10821	33.00 R	109+56.94	C/L DELESSEPS
	8.00	N 16°04'17.3" E	
DE10816	25.00 R	109+56.96	C/L DELESSEPS
REQD EASMT	- 320.00	SF	
REQD EASMT	- 0.007	ACRES	

REQD R/W - PAR 20/SV-031 - TRACT 1 REQ'D R/W DE119

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
15073	25.18 L	110+36.48	C/L DELESSEPS
	8.82	N 15°48'25.3" E	
DE10757	34.00 L	110+36.46	C/L DELESSEPS
	28.54	S 74°03'15.3" E	
DE10760	34.00 L	110+65.00	C/L DELESSEPS
	8.42	S 15°56'44.7" W	
DE10761	25.58 L	110+65.00	C/L DELESSEPS
	28.52	N 74°51'20.8" W	
15073	25.18 L	110+36.48	C/L DELESSEPS
REQD R/W	- 245.91	SF	
REQD R/W	- 0.006	ACRES	



REQD R/W - PAR 21/SV-016 REQ'D R/W DE140

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
15011	23.13 R	108+26.95	C/L DELESSEPS
	50.00	S 74°01'42.5" E	
15023	23.15 R	108+76.96	C/L DELESSEPS
	21.09	S 15°58'18.2" W	
DE10807	20.37 R	401+47.16	C/L SALVADOR ST
	3.63	N 74°01'41.8" W	
DE10814	24.00 R	401+47.16	C/L SALVADOR ST
	13.11	N 16°55'58.6" E	
DE10812	24.00 R	401+34.05	C/L SALVADOR ST
	6.86	N 25°30'38.9" W	
DE10813	26.00 R	108+69.00	C/L DELESSEPS
	42.05	N 74°03'15.3" W	
DE10807	26.00 R	108+26.95	C/L DELESSEPS
	2.87	N 15°58'18.2" E	
15021	23.13 R	108+26.96	C/L DELESSEPS
REQD R/W	- 218.22	SF	
REQD R/W	- 0.005	ACRES	
REMAINDER	- +/- 0.13	ACRES	

REQD - PAR 22/SV-018 REQ'D EASMT. DE143

PNT	OFFSET/ DIST	STATION/ BEARING	ALIGNMENT
DE10823	24.00 L	401+46.02	C/L SALVADOR ST
	15.56	N 16°55'58.6" E	
DE10818	28.38 R	109+21.59	C/L DELESSEPS
	4.80	N 61°09'13.7" E	
DE10817	25.00 R	109+25.00	C/L DELESSEPS
	31.96	S 74°03'15.3" E	
DE10816	25.00 R	109+56.96	C/L DELESSEPS
	8.00	S 16°04'17.3" W	
DE10821	33.00 R	109+56.94	C/L DELESSEPS
	27.43	N 74°03'15.3" W	
DE10822	33.00 R	109+29.52	C/L DELESSEPS
	13.66	S 52°46'46.4" W	
DE10823	24.00 L	401+46.02	C/L SALVADOR ST
REQD EASMT	- 321.01	SF	
REQD EASMT	- 0.007	ACRES	

Order Plans



DATE	REVISIONS

DATE	REVISIONS
11-26-18	PARCEL 21 - REVISED REQ'D ROW

**THOMAS & HUTTON**  
50 Park of Commerce Way • PO Box 2727  
Savannah, GA 31402-2727 • 912.234.5300  
www.thomasandhutton.com  
Charleston, SC | Columbia, SC | Myrtle Beach, SC | Savannah, GA | Wilmington, NC

STATE OF GEORGIA  
DEPARTMENT OF TRANSPORTATION  
**RIGHT OF WAY MAP**

PROJECT NO: 0010028  
COUNTY: CHATHAM  
LAND LOT NO: N/A  
LAND DISTRICT: N/A  
GMD 4  
DATE 08/12/16 SH 13 OF 35

DRAWING No.  
**60-0013**