
















| DATE | REVISION | NO. |
|----------|--------------|-----|
| 4-6-2011 | ISSUE TO BID | |
































SITE WORK CONSTRUCTION DETAILS

ADDITION TO COLHAM FERRY
ELEMENTARY SCHOOL
181 COLHAM FERRY ROAD WATKINSVILLE, GA 30611
FOR THE
COCONA COUNTY BOARD OF EDUCATION
10000E COUNTY ROAD 66 WATKINSVILLE, GA 30676
JOB NO. DCB-FACILITY CODE 3009

DATE: DECEMBER 15, 2010
JOB NO. DCB-FACILITY CODE 3009
JOB NO. DCB-FACILITY CODE 3009
JOB NO. DCB-FACILITY CODE 3009



| HEADWALL DIMENSIONS FOR METAL PIPE | | | | | | | | | |
|------------------------------------|--------|-------|--------|--------|--------|--------|--------|------|--|
| PIPE DIA. (IN) | H | B | H | H | L | E | WEIGHT | BASE | |
| 30" | 7'-0" | 6'-0" | 7'-0" | 7'-0" | 7'-0" | 8'-0" | 566P | 1344 | |
| 36" | 8'-0" | 6'-0" | 8'-0" | 8'-0" | 8'-0" | 9'-0" | 726P | 1524 | |
| 42" | 9'-0" | 6'-0" | 9'-0" | 9'-0" | 9'-0" | 10'-0" | 886P | 1704 | |
| 48" | 10'-0" | 6'-0" | 10'-0" | 10'-0" | 10'-0" | 11'-0" | 1046P | 1884 | |
| 54" | 11'-0" | 6'-0" | 11'-0" | 11'-0" | 11'-0" | 12'-0" | 1206P | 2064 | |
| 60" | 12'-0" | 6'-0" | 12'-0" | 12'-0" | 12'-0" | 13'-0" | 1366P | 2244 | |



| DATE | REVISION | NO. |
|----------|--------------|-----|
| 4-6-2011 | ISSUE TO BID | |

SITE WORK CONSTRUCTION DETAILS

ADDITION TO COLHAM FERRY
ELEMENTARY SCHOOL
181 COLHAM FERRY ROAD WATKINSVILLE, GA 30611
FOR THE
COCONA COUNTY BOARD OF EDUCATION
10000E COUNTY ROAD 66 WATKINSVILLE, GA 30676
JOB NO. DCB-FACILITY CODE 3009

DATE: DECEMBER 15, 2010
JOB NO. DCB-FACILITY CODE 3009
JOB NO. DCB-FACILITY CODE 3009
JOB NO. DCB-FACILITY CODE 3009

UTILITY LOCATION NOTES

- CONTRACTOR SHALL BE RESPONSIBLE TO SECURE THE SERVICES OF A PRIVATE UTILITY LOCATION FIRM DURING THE ENTIRE COURSE OF CONSTRUCTION. CONTRACTOR SHALL PAY FOR SAID SERVICES.
- CONTRACTOR SHALL IMMEDIATELY REPAIR ALL UTILITIES DAMAGED BY CONSTRUCTION ACTIVITIES, AT NO ADDITIONAL COST TO THE OWNER.
- THE UTILITIES SHOWN ARE SCHEMATIC AND FOR THE CONTRACTORS CONVENIENCE ONLY. THERE ARE OTHER UTILITIES NOT SHOWN ON THESE PLANS. THE DESIGN PROFESSIONAL ASSUMES NO RESPONSIBILITY FOR THE LOCATION OF UTILITIES WITHIN THE LIMITS OF THE WORK. DAMAGE TO EXISTING UTILITIES BY THE CONTRACTOR FROM HIS/HER OPERATIONS SHALL BE IMMEDIATELY REPAIRED AT NO ADDITIONAL COST TO THE OWNER.
- CONTRACTOR SHALL BE RESPONSIBLE FOR CORRECTION OF BACKFILL OF ALL UTILITY TRENCHES WITHIN SITE WORK LIMITS. THIS INCLUDES TRENCHES DUG AND BACKFILLED BY LOCAL UTILITIES SUCH AS POWER, GAS, TELEPHONE, ETC. CONTRACTOR SHALL PROVIDE ADDITIONAL BACKFILL AND COMPACTOR AS NECESSARY, IF SETTLEMENT OCCURS.



| DATE | REVISION | NO. |
|----------|--------------|-----|
| 4-6-2011 | ISSUE TO BID | |

24-HOUR EROSION CONTACT

NAME: BRUCE TYSON
COMPANY: COCONA COUNTY SCHOOLS
EMAIL: ADDRESS@COCONACOUNTYSCHOOLS.GA
PHONE NUMBER: 706-381-2880

DO NOT BREAK OR DUPLICATE

- DO NOT DUPLICATE DRAWINGS WITHOUT PERMISSION.
- READ THE SPECIFICATIONS, THIS SET OF DRAWINGS AND SPECIFICATIONS BEFORE PROJECT SCOPE AND CONTRACT REQUIREMENTS. INDIVIDUAL SHEETS REPRODUCED FROM THE SET MAY NOT ACCURATELY REFLECT ALL INFORMATION NEEDED TO INSTALL. COVER CLEANUP, BACKFILL AND COMPACTOR AS NECESSARY, IF SETTLEMENT OCCURS.



WWW.Plans@Aurijam.com

cunningham, forhand, matthews & moore, architects, inc. - 2011 manchester street, n.e. - atlanta, georgia 30324 - phone (404) 873-2152