

DRAWING ISSUE RECORD		
DATE	REVISIONS	NO.
4-8-2017	ISSUE TO BID	

N/F
ULMER
PARCEL B 97 0345
ZONED DETACHED RESIDENTIAL
P.B. 1400 PAGE 007


L2	S 62°47'34" E	1.04'
L3	S 85°58'57" E	12.80'
L4	S 87°17'33" E	37.07'
L5	S 71°40'21" E	24.55'
L6	S 74°50'20" E	16.50'
L7	S 75°10'24" E	22.38'
L8	S 83°20'20" E	22.33'
L9	S 51°08'20" E	40.10'
L10	S 3°08'54" E	8.75'
L11	S 55°44'34" E	32.07'
L12	S 64°37'30" E	1.85'



- GENERAL NOTES:**
- WATER AND SANITARY SEWERS SHALL BE INSTALLED IN COMPLIANCE WITH CURRENT EDITION OF THE CITY OF MARIETTA WATER AND SEWER STANDARDS AND SPECIFICATIONS.
 - CONTRACTOR SHALL MAINTAIN HORIZONTAL SEPARATION OF AT LEAST 10 FEET BETWEEN WATER MAIN AND EXISTING OR PROPOSED SEWER (MEASURED EDGE TO EDGE).
 - WHERE WATER MAIN CROSSES EXISTING OR PROPOSED SEWER 18" OF VERTICAL SEPARATION IS REQUIRED BETWEEN THE TWO MAINS (MEASURED EDGE TO EDGE).
 - FULL LENGTH OF WATER MAIN PIPE IS REQUIRED TO BE CENTERED AT SEWER MAIN CROSSINGS SO THAT WATER MAIN JOINTS ARE AS FAR AWAY FROM SEWER AS POSSIBLE.

Order Plans @ www.LDILine.com

1 SITE PLAN - PLUMBING-DEMO
1"=40'-0"



IF YOU DO GEORGIA...
CALL US FIRST!
UTILITIES PROTECTION CENTER
STATE WIDE
CALL 811
IT'S THE LAW!



SPURLOCK & ASSOCIATES, INC.
consulting engineers
2970 Clairmont Rd., Suite 620 | Atlanta, GA 30329
P: 404.632.0245 | F: 404.632.1736
GA JOB NO. 2163

cunningham forehand matthews moore

ADDITION TO COLHAM FERRY
ELEMENTARY SCHOOL

191 COLHAM FERRY ROAD, MARIETTA, GA 30067
FOR THE BOARD OF EDUCATION
OCONEE COUNTY, GA
ODE FACILITY CODE 3530

DATE: DECEMBER 15, 2017 JOB NO. B-L-2017-20 DRAWN BY: J.C.F. CHECKED BY: M.W.D.

PD0.1