

Order Plans @ [www.LDILine.com](http://www.LDILine.com)



DRAWING ISSUE RECORD		
DATE	REVISIONS	NO.
4-8-2011	ISSUE TO BID	

ADDITION TO COLHAM FERRY  
ELEMENTARY SCHOOL  
191 COLHAM FERRY ROAD, MARIETTA, GA 30067  
FOR THE  
OCONEE COUNTY BOARD OF EDUCATION  
OCONEE COUNTY, GA  
IDE FACILITY CODE 3555

DATE: DECEMBER 15, 2010  
JOB NO. 10-11-2010-20  
DWG. BY: G.L.R.  
CK. BY: G.L.K.

INTERCOM LEGEND	
SYMBOL	DESCRIPTION
Ⓢ1	VALCOM V4022A-2 - 2X2 LAY-IN SPEAKER, ONE WAY
Ⓢ2	VALCOM VECTLA-2 - 2X2 LAY-IN SPEAKER, TALK BACK
Ⓢ3	VALCOM V-1020C - ROUND CEILING SPEAKER, ONE WAY WITH V-4112M PRE-CONSTRUCTION BRIDGE
ⓈHP	V-4088 HORN IN V-4805 ENCLOSURE
●	VALCOM V-2411 - CALL BUTTON WITH VOLUME CONTROL

REFERENCED INTERCOM NOTES: (APPLIES TO ALL SHEETS)  
 C1. ALL PIRINGS FOR SCHOOL INTERCOM SHALL BE PLENUM RATED CAT 6 CABLE. ALL HOME RUNS SHALL BE TO THE NEAREST IDF ROOM. CONNECT TO VALCOM CLASS CONNECT AMPLIFIER MOUNTED IN IDF RACK. CONTRACTOR TO PROVIDE ALL HARDWARE NECESSARY TO MAKE CONNECTION.  
 C2. TEMPORARILY SUPPORT EXISTING SPEAKERS DURING DEMOLITION. REINSTALL EXISTING SPEAKERS IN NEW CEILING.



1 PARTIAL FLOOR PLAN - INTERCOM  
E4.1 1/16"=1'-0"



**SPURLOCK & ASSOCIATES, INC.**  
consulting engineers  
2970 Clairmont Rd., Suite 620 | Atlanta, GA 30329  
P: 404.633.0245 | F: 404.633.1756  
GA JOB NO. 2109

**cunningham foehand matthews moore**  
cunningham, foehand, matthews & moore, architects, inc. - 2011 manchester street, n.e. - atlanta, georgia 30324 - phone (404) 873-2152