



KEY NOTES- POWER AND COMMUNICATION PLAN	
E1	REFERENCE SPEC. INFORMATION FOR EXACT LOCATION AND ELECTRICAL REQUIREMENTS OF ALL EQUIPMENT.
E2	REFER TO OWNER FOR INFORMATION ON PARCEL LOCKER SYSTEM EQUIPMENT AND KEYTRACK SYSTEM. REFERENCE MANUFACTURER SPEC. INFORMATION FOR EXACT LOCATION AND ELECTRICAL REQUIREMENTS.
E3	CONFIRM FITNESS EQUIPMENT LAYOUT AND ALL EQUIPMENT POWER REQUIREMENTS WITH FITNESS VENDOR.
E4	INSTALL USB OUTLETS AT UNDERSIDE OF BANQUETTE @ 0'-10" A.F.F. TO CENTER OF PLATE.
E5	USB OUTLETS AT KITCHEN ISLAND SHALL BE INSTALLED HORIZONTALLY BELOW COUNTER @ 2" O.C.
E6	OUTLET FOR ABOVE COUNTER COFFEE SYSTEM TO BE INSTALLED WITHIN CABINET BELOW COUNTERTOP. GROMMET ACCESS IN COUNTERTOP. VERIFY EXACT LOCATION/REQUIREMENTS IN FIELD.
E7	POWER/DATA FOR OWNER PROVIDED TV TO BE INSTALLED WITHIN RECESSED OPENING. REFERENCE DRAWINGS BY OTHERS FOR ALL MECHANICAL / ELEC. ROOM REQUIREMENTS.
E9	COORDINATE LOCATION OF ALL FLOOR COVERS WITH DESIGNER AND ELECTRICAL ENGINEER PRIOR TO INSTALLATION.
E10	OUTLET FOR PRINTER TO BE INSTALLED IN CABINET. GROMMET ACCESS IN COUNTERTOP. VERIFY SPECIFICATION WITH OWNER. VERIFY EXACT POWER LOCATION/REQUIREMENTS IN FIELD.
E11	REFERENCE MANUFACTURER SPECIFICATIONS FOR POWER LOCATION AND REQUIREMENTS FOR FIRE RACK.

- POWER AND COMMUNICATION GENERAL NOTES**
- REFER TO ENGINEERING DRAWINGS FOR CIRCUIT AND LOADS.
 - CONTRACTOR AND ELECTRICAL ENGINEER TO COORDINATE ADDITIONAL REQUIREMENTS WITH THE SECURITY AND AV VENDOR. DETERMINE EXACT PLACEMENT AND REQUIREMENTS FOR POWER/TELE/DATA DEVICES, EQUIPMENT, SPEAKERS, CONDUIT, ETC.
 - COORDINATE ALL ELECTRICAL WORK WITH ELECTRICAL DRAWINGS AND ENGINEER. RESOLVE ALL DISCREPANCIES WITH INTERIOR DESIGNER BEFORE INSTALLATION.
 - DEVICES SHALL BE MOUNTED PER PROVIDED DETAIL UNLESS NOTED OTHERWISE. TWO OR MORE ADJACENT DEVICES ARE TO BE GANGED WITH A COMMON FACEPLATE. IF THEY CANNOT BE GANGED, THEY SHALL BE INSTALLED WITH MINIMUM DISTANCE BETWEEN DEVICES. FINISH TO BE WHITE, UNLESS NOTED OTHERWISE.
 - ADJACENT OUTLETS AND SWITCHES SHALL BE GANGED WITH A COMMON FACEPLATE WHEN POSSIBLE.
 - PROVIDE FIRE STOPPING AT ALL FLOOR PENETRATIONS TO MEET APPLICABLE BUILDING CODES.
 - ALL DIMENSIONS INDICATED ON PLAN ARE FROM CENTERLINE OF DEVICE, UNLESS NOTED OTHERWISE.
 - PROVIDE GFI AT ALL ELECTRICAL OUTLETS WITHIN 6' OF WATER SINKS, SUCH AS SINK.
 - WALL MOUNTED ELECTRICAL AND TELEPHONE DEVICES SHALL BE MOUNTED 1'-6" A.F.F. UNLESS NOTED OTHERWISE. ALL DEVICES SHALL BE SORTED BY ALL LOCATIONS.
 - ALL OUTLETS MOUNTED ABOVE COUNTER SURFACES TO BE INSTALLED HORIZONTALLY UNLESS NOTED OTHERWISE.
 - ALL FLOOR COVERS SHALL BE BEING INSTALLED WITH MINIMUM UNLESS NOTED OTHERWISE. ALL OUTLETS OCCURRING ON SPECIAL FINISHES SHALL MATCH THE WALL FINISH ON WHICH THEY OCCUR. VERIFY WITH INTERIOR DESIGNER.
 - COORDINATE WITH ARCHITECT PRIOR TO INSTALLATION ALL FIRE LIFE AND SAFETY DEVICES, HVAC VENTS, A/C CONTROL ETC. WHERE AIRWORK OR WALL FINISH IS DESIGNATED.
 - REFERENCE ARCHITECTURAL AND ELECTRICAL DRAWINGS FOR CORRIDORS, MECHANICAL AREAS AND UNIT POWER & DATA PLANS AND INFORMATION.
 - ALL OUTLETS AT MILLWORK TO BE INSTALLED HORIZONTALLY.

POWER & COMMUNICATION SYMBOL LEGEND

	DUPLEX RECEPTACLE OUTLET - WALL MOUNTED
	DUPLEX DEDICATED RECEPTACLE OUTLET - WALL MOUNTED
	DUPLEX GFI RECEPTACLE OUTLET - WALL MOUNTED
	TELEPHONE / DATA - WALL MOUNTED
	POWER/DATA/CABLE OUTLET - WALL MOUNTED
	USB OUTLET / DUPLEX RECEPTACLE OUTLET COMBO - WALL MOUNTED
	USB OUTLET / DUPLEX RECEPTACLE OUTLET - FLOOR MOUNTED
	TELEPHONE / DATA - FLOOR MOUNTED
	JUNCTION BOX - FLOOR MOUNTED
	MOUNTING HEIGHT ABOVE FINISHED FLOOR
	120V GROUND RECEPTACLE COAXIAL CABLE CONNECTION
	120V-20A DEDICATED CIRCUIT W/ NEMA 5-20 RECEPTACLE
	120V GROUND RECEPTACLE COAXIAL CABLE CONNECTION

CROSBY DESIGN GROUP

Interior Design Firm

1440 Dutch Valley Place
Suite 755
Atlanta, Georgia 30324

404.872.9777 tel
www.crosbydesigngroup.com

HISTORY	
DATE	DESCRIPTION

REVISIONS	

© COPYRIGHT 2015 CROSBY DESIGN GROUP
THIS DRAWING IS THE PROPERTY OF THE INTERIOR DESIGNER AND MAY NOT BE REPRODUCED OR USED WITHOUT HIS WRITTEN PERMISSION.

FOUNDRY33
 CHATTANOOGA, TN

1 POWER & COMMUNICATION PLAN - CLUBHOUSE AMENITY BUILDING
1/4" = 1'-0"

DATE 05/01/2020

FOUNDRY33

SHEET TITLE
POWER & COMMUNICATION PLAN - CLUBHOUSE AMENITY BUILDING

SHEET NO.
ID-3.0

NOT ISSUED FOR CONSTRUCTION
ISSUED FOR CONSTRUCTION